


Leop v Buch Phys tolli sche Beschnie In Camonsol Fasel. Best: 1825 p. 45 - the list of plats is muting f 164 elf : Epithyman sif Brenauther, spinom & Atemsic argenter. gudt be C. Episonehum by webbild

											N. N. S.
0	1	2	3	4	5	6	7	8	9	10	MISSOURI
cm						copyright reserved					BOTANICAL GARDEN




flor. Dans til 2224 C. lapuliforni Krocker fl. Siles I.p. 261 In selepation and water lementary nothe a good figure My 8000 only it is not plain, whether filants are interes or only adente thickens. -Moan Jan. I. pt 128. f. 4.
Currer - latinin som arborns vel rampes se extends.

putty good figure, but as Ditails on p 201. nottry else om be gleans from the text. MISSOURI BOTANICAL copyright reserved

GARDEN

cm



my Mangal Christhyun??
L'ug grystfflange in som filmst vig sid - for st. of? trafffig flom dansta! Pro-fis min holiza! MISSOURI BOTANICAL copyright reserved

GARDEN


cm

Brissier dingn. I/g. p. 86 Pallas non. Beite et Ledebour G. flann Sieben Smal delivice Try p. 87 Amuls des Aimon Mel 88. 1846. Jarg. Am. 30 d. pirt. H. H. pag 17
C. ampr. Mig. Surina 28. Euch Blogulia. O Aciche H. gen 5.131 8. marult aciche Reinstein 10 Aciche II. 82. 9. nuna 497 europe 497 Epithy-O' Beth Solph. 23.24. Fig A. P. neifen: & Histiana C. leget formi Acrobanien 13. 2224 C. eurpach Cepiline S Autill. 150. Con. MISSOURI BOTANICAL GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL

copyright reserved GARDEN

Alutan mins cognition Cartining completen places order of granting of in miente observes por J. C. Odu & bace 128 py15. Currit myir randitus denne: allos our put photores; florale d'eluta purpura mbent racemation digesti . La Media Julio. An Commit, Asiente. -- Town Coult? . purker en vid. figur is that a detail the magnific flavor above has been may to by me for the orgin small or and. 100 figue. MISSOURI

BOTANICAL copyright reserved cm GARDEN



10) C. Schirziana Boss, Suga I. M. p. 86 (1849) fl. capitale-glomenter glom. medsomber semilibry, fl. semil rulyre us que ad 1/4 - Curimber ovalas obtes as partito Corolla alla urreolate rulyre vik long vri lobis obbsessionelis stamaben facera attiligate autheris flavis oblanzis, 19 man. ovat oblan Justifulat vorolla triple brew ber styling a fasi d'ougulibre, arrentis observe in stigmen inomenation - letury -Ech i nope el Pegano, Kolsdy 118. & 318. 20 C. minor. var. I fut rordle de algres subaequenti pelgris Colis obteris autheris fleris ner roseig stylis a besi d'origetibre d'ag. I. II. p. 86 (1849). C. palaestisis Boriss. Sunt apellas subelle forapitat glom sessil med ovil. At sessil, onlyvis vannosme. Coleis triangelous abtasis dons contito incrementes Corollne colyce vix long, vis loters bren by arthe shing auther subsenilibs subsole i; og unia.
subso solumble dentirulation, other a basi Avergeting vix i apire i stiquate inmenter. __ Olleche Simistis minores respois lavia contele inomente de la Cones eis C. Carty

O. pitrirola Schleckt Linea XXII 80k. Cince articlores que i l'alian, orebre florentes, A. corqueboso neremon 3-8 i rambo laterili – Pedumeneli lui longi, bruck ovito laureolate. aout insolee permentos interdan ægunter. Calyx lineamaltur i landing s-late elliptions obtusas profounde partitus. Cirolla oumpamble orlyre adaverso mayor i Cacinia ad Sinistan divisa sensim attenuata, obtusionenlas, dein nellexa, Hacina leriais puello bresina, authen ovale, and insoular. Squarme e medio corollar, sinus attragentes obovetne fubritie, styli staminen longete din tig- hemisphonis. - Capsela glader calgo Muperany C. Kotesty and Booss drag I. 7. h. 19

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Missouri

Bottanical

Garden

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




MISSOURI BOTANICAL GARDEN

= amentur parflorer. arlp. Rep. VI. p. 546 C. congeste Buth. Bot Sulph 138 Come filiformi; Glomenly. densis ovatis Fubramosis, squamellis juter mixtig erlyre ovato, lobis parte integn brevioribus latis oblissis, rosolla valgreen vix superante, vatus squamatu Colis Grevissimis lati oblusis squamis pumerosi similes vel brevita pediellet vix lin longi, rquamme oratae obliesae ratigenno vel vix observe destirelete. - Arapuler



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



(2) Welp. Report VI 1816-1847 p.543 of seg. C. Jewish. van Bottera C. Roch, L'Es neer XIX. 19. floor-serviles apitul globora d'hissima et approprients formantes Calyx associations & - raning s'- apprimelations, corollee ventriosse bruke plans deinide erecto aequalis Hamiten exserts styli 2 annation convergente, Agumen. fimbrislatur. - de ng. Butities parasit. i Aggressis a Crambarcis santinge (approximation C. Luften C. Kolaligann C. rapillavis Pogeworth - Transact. La Sor. XX.86 Capillarce forments) semiliber, bruter later ound a opvern offellis, f. den lib. only or ad med' bifish (sie!) segue obtasis vorolle triente, brevionts dono incranatió. es campaleta requeltes gettis arulismentis, zgam, minimis landiates . f. laur , sofra facco insette planis love statis, a them, semiform. ad and in Carinian corrollar pometis gyli 2. longinsenlig seus. - stigen. subglavata promuti oveni depresso obteeso, oupsile ad spira vorolla marrish fecta 4- sperma sen . romprem - orbiletes - Haletes Comiconis In tod. orient Hjundeyens: pares. Ties ihlt. alphis, 11,000 pd. all. = C. Lungua! C. anguina lægen. P. C. p. 8% Call filif raccu. solik

Jenninis ve permonle esquante (m) fl. singale pediolet

(ramis subsessiti) branteolato; orlgois ad basis to 5-partiti lanni, soluzis vel antinsmlis lania Corollar offlexas attingentiber, 19 ceaux. I finchitis authun, ad for our on semil tri gonis contis semi execti postizantes i ovani entirenti aprice semilibes, trizonis anti- en 1/2- 26 ly out /2-3/4 ling - sifet a Creflexa

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS

ab en al a l'inacomethe authoris dessilis lay

moller landis augis resolution statum

monore et moemis gracilionels

Amalaga 5-7000' high _ i herbis vanis




walp Agn VI. p. 545 C. pyonartha. Delle. M. Harber p. 226. N. 1238. Combe filiformi pe semitt. i glan rompatter semilar omfatt, brack ovatis, end profile partit segon, overt, and, ovorte Tubo exerto, Cleri ovati aruti pateti; antheni, of subexection, of your further with. Ityline reporter i stigmetoris skolusis vel rania, exsecti, I Is Columbia arvis prope Oceania con Molastomarea . Othis is any C. foetiste HOSK! yer . Jan. Harten. C. curop Signostica Arousse & Thicke for Schladel C. monogyme S. iberien (Koch = Castle ?? Alianne, semilit C. globalosa Bull. bot. Delch sulf 138. Come flife pedremelis brevissians j pedvellis velgere sagre longstriby relyre perlagono, lobis letis obtersis parte i'ategni Brevioniting porolla arreolate orlyce vix duple long, one lobis oblonges oblusis remiser petentilas squais laveris? Tylis aprile globoro - Stigmentos is vorolla paulle bressite John sueprins i savenus brevisioner menbellarfor.

I Inbreniles 4-10; pedvelli filiformes, magnetes for. 2-3 li long. calyx lax ay per auther i 1/4, i fructe 2 li longers overlle 2 li longer Affinis C. intermed ; sed galyx laxion, major lob non imblish provide longine, longer of the provide of provide of provide of the provide of the position of the provide of the composition of the provide of the composition of the provide of the composition of the co C. globulora Denth. bol Lufah 138 Caule filiforms. flor. gloriento-macemonis vel commbosis brevisnice protellater seleglobosis, ralgar lagriceroulo rampamente loleis lati ssimi, obligais, helsester festichtegne requisites corble vir orlgam "x redute lokis knows min tate" is obtersis squamis alle frukritter, styles aprice late pettato stigmatiferis deexectis. MISSOURI

BOTANICAL copyright reserved cm GARDEN M'SSAURI BOTANICAL GARDEN GEURGE ENGELMANN PAPERS

virga negrescit, glomenli oblorgi i suloglobos?

pedvelli raro lineam longi squamis mulli, intermisti cela
linea paullo longios lobis communition, corolla superme
constricto, lokis patuli; squamue latar altra
nedium exciso - frubriatre - Arapalor



Cusculaire par Ch' Des Moulins Loulouse 1853 Extr. & Coupte rende In XIX Congrès soicatifique de pource. A. Cuscontere cops. coronnois. Its ugules s. som Il L'accord a cal gamosepelus. cor ad apirem printes marres res Stign. Cineania caps corre roma profecte betocalains hilun linear, longitudial J. 43. 1. C. europaea . (C. myor Bank. DC. Tr. C. vulgaris Pers Lyn. C. Fabrilosa Prest ex Koch C. Fetruidra Mount ? C. Epithy-Thing B. vaena, C. Schkuhmina. 1.C. Chithymu. L. (C. minor. Bach DE. etc. C. europen S. L. p. 48 3. C. Inifolis Bab (C. Grithyun-Mortel in just. of auct. plur. p. 52 (. Epithy- S. pollens Legrèse (. union S. pollens Boren (. union). Zuiplin Chois. (. Epithy- S. Zuiplin addings 4. C. planiflora Tenor (C. minor Chois export p. 54 c. C. Holschyi Des Moulin sp. nov. (C. Alpira Robat nuss et botansi Pyrenia No 388. C. C. minor Chois in parle) commin Grandes. p. 56 C. palaestine Bois - Xagn. pl. orient. p.86. 1849. is purhaps the same. p. 57 6. C. Godroni S.M. sp.ner. (C. alba godon, ner Prest!) (. Griploramum brobb skud 7. C. Episonehuma Webb 8 (. Calyrine Webb 1824 (C. urrcolata Kange 1846) 1.62

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

It spilitelle suffer out substitutions con, at apire mother 139 manceson, strigm. olavato - rhorassata, cops vironyout inperfeit bilotalen bil vilvarfor longstitut 1. Epilinella ous outoides Ofeff Ci Epilinus Weithe p 64 C. Sumiflore Logen. C. volgamin Acel non Phy C. mæjor Roch a Jif non æuster C. Conodes mon Conn. Gesn. It Monogynella Des Moul, novigen out. 5. sepalus vorde p.39. at apire purch, mernes en, etigen, oapite hun Cops. oisonsoissa semin 2. kilu lika Francen 1. m. Vahliana IM C. monogyna Vahl C. lupulifornis Knock p.65 MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS B. Cuscutine capal bacrata styli nepe Mangaly IV. Cassutha I. Danh. De moul. Congelmannia Offeif p . 40 tal. gamosepulus for, ad bas in prettes marres rens styli inaegules stiga capital _ caps down apire Johnsons. hile likear transverse Consenta sancolas Seringa 1840 p. 66 1. C'Juavcolean C. Harriara Pfif. 1843 (C. rossiara) C. aumentiara Eigelmannt migner Hif. 1845. E. swaveolens Hif 146 Reiferia Danveolens Buchings Cincontra conjulos Chois, 1845 non M. & Olavor. [M. C. aunation Aug. (compl: (. nomiara) is p. b.R. probably the Helian C. Polygonor weepeg. 68. Congress Anis of tout X should be hat p. 69 2. ('amorana anote L', Chori, 10-20 C. pulagon loge? Dylumin Ofig. 3. C. chrysocoma Cercute Webvietsch 1851 Coimbon h.71 probably imported for America

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

Cucanta Fren, Com Grithyes 4. Cambrian Dove pr/2 V. Sucretta des Moul. enl. generales cord besi quesi p.41 pirmerissa. Itili argueles stigmente lemana exps. Dem aprædskistens hiles som. Istovila mangenati breve. 1. L'alba des moul. C. adhabrish nec godro. Comigior Chair i puto C. moropen Dove i hert. n. 1.74 Unknown to Deskoule's! p. 76 Curant, apport ments Beb. annaly & mayor of that
Common replaced well with the st. 1844.

C. microsephale well-withed mess? C. mirrophals Welvited C Visze Schult. ? MISSOURI BOTANICAL copyright reserved cm

GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN

Anneles de la Soc. L'inneenne Paris I. p. 26. (1822) Ammelyse des Frances de la Sovieté. p. 26. M. Loyer Willemel a Manny s'est " Charge de ousantes dont il vous afeil " connaître une espire nouvelle qu'il nomme Casouts densiflora.

1825- publid 1826

vol IV p. 280 description de 3 espires de Casentes qui erossent naturellement aux environs de Nanoy par Sogen brillemog p 280 C. major. &C., slamshbus busi mudis ____ Th'gunt lates - --281. (: minor &C... Stame L. C. basi squame renatic instruction. Stig purparas reitition.

" C. densiflore ... stig tongetudie orani" apise Euteris. ___ stamis. En besi mudis ___ stigmet, divergentit semi-lirealia salia Their the first description, 1821 The fight indiration of their opening & many Tinco pl. mr. Siril pyills I Panomi 1817 (in Bibliol.
Delessent) - no rusmits!! pugill 2 is nothere

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN Missouri Botanical Garden

George Engelmann Papers



MISSOURI BOTANICAL GARDEN

Anton Bestoloni flora Stelera 1833 vol VII. (1850) pg. 623. Count, Cesatiana (C. Tolygonon. & Motoris Ind. sem. Host bot Jun. ann. 1849. p. 22 624. C. Tihei Indenga i Tim IV. sun. Sivil ferry
p. 4 Ind i thoopy of Bibl Delessent, Penoni 817. corolliplam campulite - squae mille aprale aunitiare execute . - Le hoter - Iguara tamt the brevillon. 625. C. subulate Tin. IV. sirr. Guss. Syn 2. par 2. p. 888. i zzypho loto, Sparter &. proxima C. Gilley lots more ante as narrow sets and Tyle, Alester " C. globularis (C. mismitter Tie P. sire. Guss. Syn 2. far. 2. p.887. Col 11. [1837] Sym: C.major - C. vulgarin p. 67. C. Burguen. Ruching A. Sei lid. Von. p. bg. C. Githyun p. 70 C. alba thele woully so named 1:71 C. planiflorn syeam bijride, lavin voolle ontre fectentissem, ageir agaitatue tances obterjag. MISSOURI BOTANICAL

copyright reserved

GARDEN

cm

V. 615

G. planifler. Mr. Roanlity of Koch Tyring.


635 C. Grilina.

X. p. 478 C. Grittyn.

C. all.

C. planiflera

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Casouta aumitiara Neg. M. sico - Bestotomi for. Melion VII. p. 623 (1851) Miderrima diagnosis. P.Cesatiana i bidan. p. 624 C. Tinei - nguers. mellig vaps. depressa exsents stig- rupetet p. 625. C. subulet Tia "propina C. Guitymo" C. globulanis miss C. mirranth, Tim nom Chris. vooll 4/2h process C. Lungish fransflore = pelastian Confeder file godenien & god II. sos cent, 200 (. competon Adam: hamana =

											N. N. S.
0	1	2	3	4	5	6	7	8	9	10	MISSOURI
											BOTANICAL
cm		copyright rese						eser	ved	GARDEN	

